Functional Process Decomposition as a Method of Management of Energy Product Lifecycle*

SVITLANA A. PRYYMENKOⁱ, OKSANA. A. BURLAⁱⁱ

To achieve greater management efficiency of any system, it is necessary to create the overall effectiveness of all its components. Taking into account the fact that the anthropogenic load on the environment and the magnitude of environmental and economic costs of the first stage of the lifecycle of the energy product depend on the cause and effect relationships at (*i-n*) stages, one should mention the ecologically oriented management system of the energy product lifecycle. An ecologically oriented management system of the energy product lifecycle is a management system that ensures environmental safety at each stage by coordinating the production and environmental functions and processes of energy entities. The process of environmental management, which is considered to be a process associated with compromises between socioeconomic and environmental needs of society in terms of limited resources, should include the objectively existing interaction between society and nature, features of modern social development, causation and environmental and economic contradictions. For example, from the standpoint of economic feasibility, this task resolves itself into such a level of environmental costs that would cause minimal environmental and economic losses.

Keywords: lifecycle, power plant, ecologically oriented management, decomposition.

Introduction. Energy product lifecycle management is a development strategy that takes into account three factors interconnected and effect relationships of the subsystems such as: economic feasibility, environmental impact and social impact. The problem of balancing such a system is the wave-like economic development, its long and short cycles. For example, during the period of economic growth the demand for electricity increases, and hence for natural resources, therefore, the level of environmental pollution increases as well, suppressing the assimilation potential at the same time. In such cases, environmental activities do not provide sufficient environmental protection due to the slow pace of their development referred to the rapid economic growth. Otherwise, reducing the consumption of natural resources leads to reduction of emissions. But the rate of reduction of emissions into the environment is much lower than the rate of reduction of economic activity. Such scientists as V. O. Barinova, E. Benz, D. Dzhevel, O. F. Balatsky, V. V. Zhdanov, Yu. O. Landau and A. K. Shidlovsky dealt with the issues of product lifecycle management [2, 4, 5, 6]. The analysis of the scientific works of the authors mentioned above shows that most studies are based mainly on economic and social indicators of the industry, without examining the lifecycle of the energy product as a whole, taking into account environmental factors. The relationship between environmental and economic components in the lifecycle stages of an energy product has not been taken into account [3].

[©] S. A. Pryymenko, O. A. Burla, 2020. https://doi.org/10.21272/mer.2020.88.11



ⁱ Svitlana A. Pryymenko, C.Sc. (Economics), Assistant of the Department of Public Health, Sumy State University; ⁱⁱ Oksana A. Burla, C.Sc. (Technics), Assistant of the Department of Ecology and Environmental Protection Technologies, Sumy State University.

^{*}This work was supported by the Ministry of Education and Science of Ukraine (Project No. 0119U100766 "The optimization model of smart and secure energy grids building: an innovative technologies of enterprises and regions ecologisation").

The aim of the article is to study theoretical approaches to ecologically oriented management of the lifecycle of an energy product to ensure environmental, and natural-technogenic safety. According to the aim, the following tasks have been defined:

- to explore the concept of environmentally oriented management of the lifecycle of an energy product;
- to substantiate the conceptual principles of functional process decomposition of the system of ecologically oriented management of the energy product lifecycle.

Research results. The implementation of the concept of sustainable development is carried out through the greening of existing socio-economic relations. Environmentally-oriented management is a type of product lifecycle management the main purposes of which are to define the duration of individual stages of the energy product lifecycle starting from energy generation to waste disposal, identify economic and environmental problems arising from each of them, and forecast relevant costs and effects [5].

The main objectives of ecologically oriented management of the lifecycle of an energy product are stage-by-stage control and timely identification of "weak" stages of the lifecycle of an energy product to prevent the occurrence of environmental and economic losses in the future . Ecological and economic losses are considered as actual ecological, economic and social losses caused by violation of environmental legislation, human economic activity, natural disasters or catastrophes. Losses are detected as the losses of natural, labor, material, and financial resources in the national economy, as well as the deterioration of socio-hygienic conditions of human existence and qualitative changes (losses) of the economic potential of the country [1]. For example, investing in treatment plants in refineries will reduce the environmental and economic costs and losses of power plants running on petroleum products, and increase their efficiency. Otherwise, environmental and economic losses will accumulate during each stage of the product lifecycle and transformed brought to the next stage (Fig. 1).

In Fig. 1 we have shown that in the case of environmentally oriented measures at stage (i-1) to prevent (eliminate) environmental and economic losses in the following stages, the losses will be at point 3 or 4. In case of ignoring environmentally oriented measures at stage (i-1) environmental and economic losses will be cumulative (point 1 or 2). For example, the construction of new filters during the commissioning of a power plant will lead to insignificant environmental impacts in the production of a unit of the energy product. Each stage i should be controlled by the next stage (i+1).

Thus, environmental and economic losses are classified as follows:

- residual (L_{red}) environmental and economic losses, the amount of which at the stage i has not changed regarding stage (i-1);
- possible (L_{pos}) environmental and economic losses that can be transformed from stage (i-1) to stage i as a result of inaction of the previous stage in terms of environmentally friendly measures;
- liquidated (L_{lig}) reduced environmental and economic losses at the stage i regarding stage (i-1);
 - averted (L_{aver}) the difference between possible and actual losses.

Having identified the possible environmental and economic consequences at the stage i depending on the activities of the stage (i-1), we can come to the conclusion that, as a result of environmental inaction of energy companies at the stage of resource provision, loss will be accumulated at each subsequent stage and reimbursed directly by electricity producers (power plants).




Figure 1. The process of transformation of environmental and economic losses from stage (i-1) to the stage i of the lifecycle of an energy product [by author, 3, 5,7]

To prevent such a scenario, all management measures of the energy product lifecycle should be consistent in terms of both management functions and processes. Due to this fact, the study of the system of ecologically oriented management of the energy product lifecycle is to be carried out on the basis of functional process decomposition (Fig. 2). Functional decomposition considers the process of managing the energy product lifecycle as a complex system consisting of separate interconnected functional subsystems that take into account the specifics of management decisions at each stage of the lifecycle, whereas the process decomposition allows you to establish the order of management decisions. The first level of functional decomposition is the management of the lifecycle of the technology of energy product generation at the stage of resource provision. The second level of decomposition is the management of the power plant lifecycle, the third is the management at the stage of electricity consumption. For example, in the United States during the energy crises in 1973 and 1979, a number of reforms aimed at reducing energy consumption were developed to implement methods of managing electricity consumption [1]. Firstly, the law on national energy saving policy was adopted. The policy was aimed at reducing the level of electricity consumption through energy saving measures and leveling the load schedule by reducing energy consumption peaks, stimulating demand in the failures of the power system load schedule [4].

Process Decomposition: 1.I.Identification of stages of the energy, product lifecycle. 2.Assessment of current and projected levels of economic and environmental costs, and effects at each stage of the energy fortunization of time parameters (duration) of each stage of energy product lifecycle taking into account economic and environmental factors. Alternation of prolongation of energy products development. 5.Structural optimization of the lifecycle of the energy product (reduction or extension of the parameters of the the energy product lifecycle according to the current trends of the parameters of the the energy product lifecycle according to the current trends of economic and energy development, taking into account environmental requirements.			
ect and ng into n. energy age of ing on	meters energy ecycle, lion of	al ive	nce the
Eunctional Decomposition I. Correction of the lifecycle duration of certain technologies of energy product generation taking into account both direct and indirect eco-destructive impact on the environment. 2. Optimization of time and quantitative parameters of supply of separate primary and secondary energy resources taking into account direct and indirect eco-destructive influence at all stages of the lifecycle technology of energy product generation. 3. Development and implementation of a strategy for the priority development of individual technologies for obtaining an energy product depending on the level of energy security of the country, taking into account the eco-destructive impact at each stage of the energy product lifecycle. 4. Development and approval of concepts of infrastructure development of the markets of separate power goods depending on vectors of change of lifecycle technologies of energy product manufacture.	Prolongation or reduction of the operation of a power plant taking into account the economic and technological parameters of its activities, as well as the eco-destructive impact at all stages of the lifecycle of both the power plant and the energy product. 2. Normative approval of corrected requirements for technological passports of the power plant at each stage of its lifecycle, taking into account natural and technogenic safety. 3. Legislative consolidation of the rise in the level of personal and financial responsibility of workers for violation of environmental standards of power plants at each stage of its lifecycle.	Untroduction of a system of differentiated regional electricity fariffs for consumers, taking into account the eco-destructive impact at all stages of the energy product lifecycle. 2. Reduction of noise and vibration pollution during the transmission of electricity to the consumer by replacing terrestrial power lines with underground ones.	Introduction of a system of integrated use of waste emitted at each stage of the energy product lifecycle in order to reduce the burden on the environment and generate additional income. Commissioning of the carbon capture system to produce energy product; Improving the level of safety while disposing various types of energy waste. Introduction of environmental monitoring in the area of thermoelectric power stations and nuclear powers stations.
functions of Funct			

Figure 2. Functional process decomposition of the system of ecologically oriented management [by author]

The capacity of energy companies can be managed due to the rational use of natural resources, turning to new environmentally oriented production technologies. The quality of the final product depends on the combination of production and management technologies. For example, in the process of developing new technologies for generation of the energy product, current and future consumptions of natural resources are taken into account, which in combination with management functions make it possible to manage the energy product throughout the lifecycle.

Thus, the mechanism of formation of the system approach to ecologically oriented management of a lifecycle of an energy product differs from existing ones by applying a method of process and functional decomposition which allows the following [2]:

- 1) to establish a clear sequence of management decisions and run business processes within the process decomposition;
- 2) to take into account the existing ecological and economic relationships within the functional decomposition and to structure the tasks taking into consideration the functional specifics of the object of management.

This allows one to predict all the effects and costs at each stage of the lifecycle of the energy product objectively, to identify chains of cumulative increase in costs to overcome the consequences of eco-destructive influence on each of them, as well as so-called "breakpoints" such as time periods, operations, resources, etc. the probability of uncontrolled or unforeseen environmental losses for which is significant.

Conclusions. To sum up, the basis for ensuring environmentally balanced development of electricity generation is the economic greening of the lifecycle management system. Mankind must realize that the economic development of the country depends on the solution of three main problems: energy generation, the economic condition of the country and the quality of the environment. It is impossible to allow the level of development of the energy complex to increase by ignoring the laws of economics and endangering the state of the environment. The most rational mechanism for ensuring the sustainable development of energy is its greening, which combines all the factors mentioned above. The experience of the world's leading countries (Germany, Holland) shows that the most important issue for the greening of each country's economy is the formation and implementation of mechanisms needed for launching the environmentally friendly energy management system.

References

- 1. Energy, electricity and nuclear power estimates for the period up to 2050. (2013). *International atomic energy agency*. Vienna.
- 2. Jewell J. (2011). The IEA Model of Short-term Energy Security (MOSES). Primary Energy Sources and Secondary Fuels. *International Energy Agency*.
- 3. Ofitsiinyi sait Natsionalnoi komisii rehuliuvannia elektroenerhetyky Ukrainy [National Energy And Utilities Regulatory Commission, Ukraine]. Retrieved from: http://www.nerc.gov.ua/. [in Ukrainian].
- 4. Novosad, V.O. (2000). Ekolohichna skladova v tsinoutvorenni na pidpryiemstvakh teploenerhetychnoi haluzi Ukrainy [Ecological component in pricing at the enterprises of heat and power generation in Ukraine]. *Candidate's thesis*. Sumy: SumySU [in Ukrainian].
- 5. Pryymenko, S. A. (2015). Ekoloho-ekonomichne upravlinnia zhyttievym tsyklom enerhetychnoho produktu [Ecological and economic assessment of energy product life cycle management]. *Candidate's thesis*. Sumy: SumySU [in Ukrainian].
- 6. Shidlovskiy, A., & Kovalka, M. (2001). Palyvno-enerhetychnyi kompleks Ukrainy na porozi tretoho tysiacholittia [Fuel and energy complex of Ukraine on the threshold of the third millennium]. Kyiv: Ukrainian encyclopedic editions [in Ukrainian].
- 7. State enterprise of Energy Markets. Retrieved from: http://www.er.gov.ua [in Ukrainian].

Manuscript received 03 Marth 2020

Функционально-процессная декомпозиция как метод управления жизненным циклом энергетического продукта

Светлана Анатольевна Прийменко * , Оксана Анатольевна Бурла **

* кандидат экономических наук, ассистент кафедры общественного здоровья Сумского государственного университета, ул. Р.-Корсакова, 2, г. Сумы, 40007, Украина, тел.:00-542-648342, e-mail: svetlanapologiy1987@gmail.com

** кандидат технических наук, ассистент кафедры экологии и природоохранных технологий, Сумского государственного университета, ул. Р.-Корсакова, 2, г. Сумы, 40007, Украина, тел.: 00-542-331205, e-mail:oksanaburla7@gmail.com

Чтобы достигнуть наибольшей эффективности управления какой-либо системой, необходимо создать совокупную результативность работы всех ее составляющих. Исходя из того, что антропогенное давление на окружающую среду и величина эколого-экономических затрат i-ой стадии жизненного цикла энергетического продукта зависит от причинно-следственных связей на (i-n) стадиях, то правильно говорить про эколого-ориентированную систему управления жизненным циклом энергетического продукта. Эколого-ориентированная система управления жизненного цикла энергетического продукта являет собой систему управления, которая обеспечивает экологическую безопасность на каждой стадии и этапе путем координации производственных и природоохранных функций и процессов энергетических субъектов производства. Объективно существующее взаимодействие между обществом и природой, особенности современного социального общества, причинно-следственные связи и экологоэкономические противоречия необходимо учитывать в процесс управления природопользованием, под которым понимается процесс, устанавливающий компромисс между социальноэкономическими и экологическими проблемами общества в условиях ограниченных ресурсов. Например, с позиции экономической целесообразности это задание сводится к вложениям природоохранных затрат до такого уровня, при котором эколого-экономические затраты станут минимальные.

 $\mathit{Ключевые}$ слова: жизненный цикл, электрическая станция, эколого-ориентированное управление, декомпозиция.

Mechanism of Economic Regulation, 2020, No 2, 131–137 ISSN 1726–8699 (print)

Функціонально-процесна декомпозиція як метод управління життєвим циклом енергетичного продукту

Світлана Анатоліївна Прийменко * , Оксана Анатоліївна Бурла **

* кандидат економічних наук, асистент кафедри громадського здоров'я Сумського державного університету, вул. Р.-Корсакова, 2, м. Суми, 40007, Україна, тел.: 00-542- 648342, e-mail: svetlanapologiy1987@gmail.com ** кандидат технічних наук, асистент кафедри екології та природозахисних технологій Сумського державного університету, вул. Р.-Корсакова, 2, м. Суми, 40007, Україна, тел.: 00-542-331205, e-mail: oksanaburla7@gmail.com

Щоб досягти найбільшої ефективності управління будь-якою системою, необхідно створити сукупну результативність роботи всіх її складових. Виходячи з того, що антропогенне навантаження на довкілля та величина еколого-економічних витрат *i*-ої стадії життєвого циклу енергетичного продукту залежить від причинно-наслідкових зв'язків на (*i*-n) стадіях, то доцільно говорити про еколого-орієнтовану систему управління життєвим циклом енергетичного продукту. Під еколого-орієнтованою системою управління життєвим циклом енергетичного продукту розуміють систему управління, що забезпечує екологічну безпеку на кожній із стадій та етапі шляхом координації виробничих і природоохоронних функцій та процесів енергетичних суб'єктів господарювання. Об'єктивно існуючу взаємодію між суспільством і природою, особливості сучасного суспільного розвитку, причинно-наслідкові зв'язки та еколого-економічні суперечності необхідно враховувати у процесі управління природокористуванням, під яким розуміють процес, пов'язаний із установленням компромісів між соціально-економічними та екологічними потребами суспільства в умовах обмеженості ресурсів. Наприклад, із позиції економічної доцільності це завдання зводиться до такого рівня природоохоронних витрат, які б спричиняли за собою мінімальні еколого-економічні втрати.

Ключові слова: життєвий цикл, електрична станція, еколого-орієнтоване управління, декомпозиція.

JEL Codes: A11, H56, L10 Figures: 2; References: 7

Language of the article: English

Література

- 1. Energy, electricity and nuclear power estimates for the period up to 2050. International atomic energy agency. Vienna, 2013. 58 p.
- Jewell J. The IEA Model of Short-term Energy Security (MOSES). Primary Energy Sources and Secondary Fuels / J. Jewell // International Energy Agency. – 2011.
- 3. Офіційний сайт Національної комісії регулювання електроенергетики України [Електронний ресурс]. Режим доступу : http://www.nerc.gov.ua/.
- 4. Новосад В. О. Екологічна складова в ціноутворенні на підприємствах теплоенергетичної галузі України : дис. канд. екон. наук / В. О. Новосад. Сумц : СумДУ, 2000. 203 с.
- 5. Прийменко С.А. Еколого-економічне управління життєвим циклом енергетичного продукту : дис. ... канд. екон. наук / С.А. Прийменко. Суми : СумДУ, 2015. 215 с.
- 6. Шидловський А. Паливно-енергетичний комплекс України на порозі третього тисячоліття / А. Шидловський, М. Ковалка. К. : Українські енциклопедичні видання, 2001. 400 с.
- 7. Офіційний сайт державного підприємства «Енергоринок» [Електронний ресурс]. Режим доступу: http://www.er.gov.ua/